

Redacted text is Non-Responsive and Exempt (Delib Process, Atty-Client)

Jeff Fowley/R1/USEPA/US

03/12/2012 10:35 AM

To John King

cc Sharon Leitch, Mark Stein, David Webster, Joy Hilton, Justin Pimpare

bcc

Subject Fw: Bevill

[Redacted]

----- Forwarded by Jeff Fowley/R1/USEPA/US on 03/12/2012 10:28 AM -----

From: "Bonner, Wendy" <Wendy.Bonner@des.nh.gov>
To: Jeff Fowley/R1/USEPA/US@EPA
Date: 03/07/2012 03:09 PM
Subject: Bevill

Hi Jeff,

Sorry I missed your call yesterday. Attached is the Limited Permit NH issued to PSNH. The cover letter discusses our position on Bevill wastes. (John and Linda developed this; I wasn't involved and don't fully appreciate the nuances.) I researched our authorization status for Bevill, and it looks like we're authorized for CL 53, but not for the subsequent checklists.

I'm working from home today and tomorrow (and most Wednesdays and Thursdays 8am - 4pm for the foreseeable future), so feel free to call my cell (603) 305-0648 if you need to reach me.

Thanks,
Wendy

Wendy S. Bonner, Regulatory Manager
Hazardous Waste Management Bureau
NH Department of Environmental Services
PO Box 95, 29 Hazen Dr, Concord, NH 03302-0095
Phone: (603) 271-2937; Fax: (603) 271-0869
Email: wendy.bonner@des.nh.gov

This e-mail and any files transmitted with it are intended solely and exclusively for the use of the persons to whom it is addressed. The information contained in this electronic message and any attached files may be privileged, confidential or otherwise protected by law or regulation. Please notify me at (603) 271-2937 or reply to wendy.bonner@des.nh.gov if you believe you have received this e-mail accidentally or in error, and delete or destroy all copies of this electronic message and any attachment or printed copies.



DES-HW-LP-2012-02 PSNH-Merrimack Station.pdf